

standard bodies – single wheel

Models

Model Number	Approx. Weight		Chassis	Cab-to-axle
	Steel	Alum.		
**78-SW▲	858#	472#	Single rear wheels	40"
**LP78-SW▲	818#	450#	Single rear wheels	40"
98-SW▲	1023#	563#	Single rear wheels	56"
*U98-SW▲	1023#	563#	Single rear wheels	56"
LP98-SW▲	947#	520#	Single rear wheels	56"
*ULP98-SW▲	947#	520#	Single rear wheels	56"
*U108-SW▲	1204#	662#	Single rear wheels	60"
*ULP108-SW▲	1149#	632#	Single rear wheels	60"

Installers note:

- * Universal mounting
- ** E-Z mounting installation not available on these models
- ▲ Equipped with spring shackle offsets (see diagrams at right). Contact your Reading distributor for dimensions of offsets

Body Dimensions

Model Number	A	B	C	D
78, LP78-SW	18"	42"	18"	78"
98, U98, LP98, ULP98-SW	28"	48"	22"	98"
U108-SW, ULP108-SW	34 $\frac{3}{4}$ "	47"	26 $\frac{3}{4}$ "	108"

Approx. Compartment Clear Door Openings

Model Number	E	F	G	H	I
78-SW	12 $\frac{1}{2}$ "x35 $\frac{1}{4}$ "	40 $\frac{1}{2}$ "x14"	12 $\frac{1}{2}$ "x35 $\frac{1}{4}$ "	56 $\frac{1}{2}$ "x14"	12 $\frac{1}{2}$ "x18 $\frac{1}{8}$ "
LP78-SW	12 $\frac{1}{2}$ "x30 $\frac{1}{4}$ "	40 $\frac{1}{2}$ "x9"	12 $\frac{1}{2}$ "x30 $\frac{1}{4}$ "	56 $\frac{1}{2}$ "x9"	12 $\frac{1}{2}$ "x18 $\frac{1}{8}$ "
98, U98-SW	22 $\frac{1}{2}$ "x35 $\frac{1}{4}$ "	46 $\frac{1}{2}$ "x14"	16 $\frac{1}{2}$ "x35 $\frac{1}{4}$ "	66 $\frac{1}{2}$ "x14"	16 $\frac{1}{2}$ "x18 $\frac{1}{8}$ "
LP98, ULP98-SW	22 $\frac{1}{2}$ "x30 $\frac{1}{4}$ "	46 $\frac{1}{2}$ "x9"	16 $\frac{1}{2}$ "x30 $\frac{1}{4}$ "	66 $\frac{1}{2}$ "x9"	16 $\frac{1}{2}$ "x18 $\frac{1}{8}$ "
U108-SW	29 $\frac{1}{4}$ "x35 $\frac{1}{4}$ "	45 $\frac{1}{2}$ "x14"	20 $\frac{3}{4}$ "x35 $\frac{1}{4}$ "	69 $\frac{3}{4}$ "x14"	20 $\frac{3}{4}$ "x18 $\frac{1}{8}$ "
ULP108-SW	29 $\frac{1}{4}$ "x30 $\frac{1}{4}$ "	45 $\frac{1}{2}$ "x9"	20 $\frac{3}{4}$ "x30 $\frac{1}{4}$ "	69 $\frac{3}{4}$ "x9"	20 $\frac{3}{4}$ "x18 $\frac{1}{8}$ "

Standard shelf and divider equipment

All shelves removable, all dividers removable and adjustable. Dividers interchangeable on most shelves. **(8) shelves:** 78, 98, & 108 models. **(6) shelves:** LP78, LP98, & LP108 models. **(16) dividers:** 78, 98 models. **(20) dividers:** 108 models.


All models available with:

"A" or "B" compartment layout both sides. Combination "AB" with "A" layout on roadside and "B" layout on curbside.


"LP" denotes low profile model number. Bumpers are optional at additional cost (see page 7).

To order aluminum, add prefix "AL" to model number. Aluminum bodies are not recommended for off road use.


Standard Model – Single Wheel



"A" Compartment Layout




"B" Compartment Layout




Rear View

Some models equipped with spring shackle offsets (see "Models" chart).

LP Model – Single Wheel




"A" Compartment Layout



"B" Compartment Layout

Some models equipped with spring shackle offsets (see "Models" chart).



Rear View

standard bodies – dual wheel

Models

Model Number	Approx. Weight		Chassis	Cab-to-axle
	Steel	Alum.		
98-DW▲	1353#	744#	Dual rear wheels	56"
LP98-DW▲	1293#	711#	Dual rear wheels	56"
U108-DW▲	1359#	747#	Dual rear wheels	60"
ULP108-DW▲	1299#	714#	Dual rear wheels	60"
U1086-DW	1304#	717#	Dual rear wheels	60"
ULP1086-DW	1249#	687#	Dual rear wheels	60"

▲ Equipped with spring shackle offsets (see diagram at right). Contact your Reading distributor for dimensions of offsets.

Body Dimensions

Model Number	A	B	C	J	K	L	M
98-DW & LP98-DW	93"	50"	21½"	28"	48"	22"	98"
U108-DW & ULP108-DW	93"	50"	21½"	34¾"	47"	26¼"	108"
U1086-DW & ULP1086-DW	93"	60"	16½"	34¾"	47"	26¼"	108"

Approx. Compartment Clear Door Openings

Model Number	E	F	G	H	I
98-DW	22½"x35¼"	46½"x14"	16½"x35¼"	66½"x14"	16½"x18½"
LP98-DW	22½"x30¼"	46½"x9"	16½"x30¼"	66½"x9"	16½"x18½"
U108-DW & U1086-DW	29¼"x35¼"	45½"x14"	20¾"x35¼"	69¾"x14"	20¾"x18½"
ULP108-DW & ULP1086-DW	29¼"x30¼"	45½"x9"	20¾"x30¼"	69¾"x9"	20¾"x18½"

Standard shelf and divider equipment

All shelves removable, all dividers removable and adjustable. Dividers interchangeable on most shelves. **(8) shelves:** 78, 98, & 108 models. **(6) shelves:** LP78, LP98, & LP108 models. **(16) dividers:** 78 & 98 models. **(20) dividers:** 108 models.

All models available with:


"A" or "B" compartment layout both sides. Combination "AB" with "A" layout on roadside and "B" layout on curbside.

"LP" denotes low profile model number.


Bumpers are optional at additional cost (see page 7).

To order aluminum, add prefix "AL" to model number. Aluminum bodies are not recommended for off road use.


Standard Model – Dual Wheel



"A" Compartment Layout




"B" Compartment Layout




Some models equipped with spring shackle offsets (see "Models" chart).

Rear View


LP Model – Dual Wheel



"A" Compartment Layout



"B" Compartment Layout



Some models equipped with spring shackle offsets (see "Models" chart).

Rear View

Floor area 42" clear between wheel boxes.
NO WHEEL BOXES ON 98-DW OR 108D-DW MODELS.

spacemaker bodies – single wheel

Models

Model Number	Approx. Weight		Chassis	Cab-to-axle
	Steel	Alum.		
** S78-SW▲	1018#	560#	Single rear wheels	40"
** SLP78-SW▲	924#	508#	Single rear wheels	40"
S98-SW▲	1196#	658#	Single rear wheels	56"
* US98-SW▲	1196#	658#	Single rear wheels	56"
SLP98-SW▲	1145#	630#	Single rear wheels	56"
* USLP98-SW▲	1145#	630#	Single rear wheels	56"
* US108-SW▲	1341#	738#	Single rear wheels	60"
* USLP108-SW▲	1286#	707#	Single rear wheels	60"

Installers note:

- * Universal mounting
- ** E-Z mounting installation not available on these models
- ▲ Equipped with spring shackle offsets (see diagrams at right). Contact your Reading distributor for dimensions of offsets

Body Dimensions

Model Number	A	B	C	D
S78, SLP78-SW	18"	42"	18"	78"
S98, US98, SLP98, USLP98-SW	28"	48"	22"	98"
US108-SW, USLP108-SW	34 ³ / ₄ "	47"	26 ¹ / ₄ "	108"

Approx. Compartment Clear Door Openings

Model Number	E	F	G	H	I
S78-SW	12 ¹ / ₂ "x35 ¹ / ₄ "	40 ¹ / ₂ "x14"	12 ¹ / ₂ "x35 ¹ / ₄ "	56 ¹ / ₂ "x14"	12 ¹ / ₂ "x18 ⁵ / ₈ "
SLP78-SW	12 ¹ / ₂ "x30 ¹ / ₄ "	40 ¹ / ₂ "x9"	12 ¹ / ₂ "x30 ¹ / ₄ "	56 ¹ / ₂ "x9"	12 ¹ / ₂ "x18 ⁵ / ₈ "
S98-SW	22 ¹ / ₂ "x35 ¹ / ₄ "	46 ¹ / ₂ "x14"	16 ¹ / ₂ "x35 ¹ / ₄ "	66 ¹ / ₂ "x14"	16 ¹ / ₂ "x18 ⁵ / ₈ "
SLP98-SW	22 ¹ / ₂ "x30 ¹ / ₄ "	46 ¹ / ₂ "x9"	16 ¹ / ₂ "x30 ¹ / ₄ "	66 ¹ / ₂ "x9"	16 ¹ / ₂ "x18 ⁵ / ₈ "
US108-SW	29 ¹ / ₄ "x35 ¹ / ₄ "	45 ¹ / ₂ "x14"	20 ³ / ₄ "x35 ¹ / ₄ "	69 ³ / ₄ "x14"	20 ³ / ₄ "x18 ⁵ / ₈ "
USLP108-SW	29 ¹ / ₄ "x30 ¹ / ₄ "	45 ¹ / ₂ "x9"	20 ³ / ₄ "x30 ¹ / ₄ "	69 ³ / ₄ "x9"	20 ³ / ₄ "x18 ⁵ / ₈ "

Standard shelf and divider equipment

All shelves removable, all dividers removable and adjustable. Dividers interchangeable on most shelves. **(8) shelves:** 78, 98, & 108 models. **(6) shelves:** LP78, LP98, & LP108 models. **(16) dividers:** 78 & 98 models. **(20) dividers:** 108 models. Each top compartment has 15 dividers.

All models available with:


"A" or "B" compartment layout both sides. Combination "AB" with "A" layout on roadside and "B" layout on curbside.

"LP" denotes low profile model number.


Bumpers are optional at additional cost (see page 7).

To order aluminum, add prefix "AL" to model number. Aluminum bodies are not recommended for off road use.


Spacemaker Model – Single Wheel



"A" Compartment Layout




"B" Compartment Layout




Some models equipped with spring shackle offsets (see "Models" chart).

Rear View


Spacemaker LP Model – Single Wheel



"A" Compartment Layout



"B" Compartment Layout



Some models equipped with spring shackle offsets (see "Models" chart).

Rear View

spacemaker bodies – dual wheel

Models

Model Number	Approx. Weight		Chassis	Cab-to-axle
	Steel	Alum.		
S98-DW▲	1499#	824#	Dual rear wheels	56"
SLP98-DW▲	1438#	791#	Dual rear wheels	56"
US108-DW▲	1561#	858#	Dual rear wheels	60"
USLP108-DW▲	1509#	830#	Dual rear wheels	60"
US1086-DW	1504#	827#	Dual rear wheels	60"
USLP1086-DW	1454#	780#	Dual rear wheels	60"

▲ Equipped with spring shackle offsets (see diagram at right). Contact your Reading distributor for dimensions of offsets.

Body Dimensions

Model Number	A	B	C	D	J	K	L	M
S98-DW & SLP98-DW	93"	50"	21½"	13¼"	28"	48"	22"	98"
US108-DW & USLP108-DW	93"	50"	21½"	13¼"	34¾"	47"	26¼"	108"
US1086-DW & USLP1086-DW	93"	60"	16½"	9¼"	34¾"	47"	26¼"	108"

Approx. Compartment Clear Door Openings

Model Number	E	F	G	H	I
S98-DW	22½"x35¼"	46½"x14"	16½"x35¼"	66½"x14"	16½"x18⅞"
SLP98-DW	22½"x30¼"	46½"x9"	16½"x30¼"	66½"x9"	16½"x18⅞"
US108-DW & US1086-DW	29¼"x35¼"	45½"x14"	20¾"x35¼"	69¾"x14"	20¾"x18⅞"
USLP108-DW & USLP1086-DW	29¼"x30¼"	45½"x9"	20¾"x30¼"	69¾"x9"	20¾"x18⅞"

Standard shelf and divider equipment

All shelves removable, all dividers removable and adjustable. Dividers interchangeable on most shelves. **(8) shelves:** 78, 98, & 108 models. **(6) shelves:** LP78, LP98, & LP108 models. **(16) dividers:** 78 & 98 models. **(20) dividers:** 108 models. Each top compartment has 15 dividers.

All models available with:


"A" or "B" compartment layout both sides. Combination "AB" with "A" layout on roadside and "B" layout on curbside.

"LP" denotes low profile model number.


Bumpers are optional at additional cost (see page 7).

To order aluminum, add prefix "AL" to model number. Aluminum bodies are not recommended for off road use.


Spacemaker Model – Dual Wheel



"A" Compartment Layout




"B" Compartment Layout




Some models equipped with spring shackle offsets (see "Models" chart).

Rear View


Spacemaker LP Model – Dual Wheel



"A" Compartment Layout



"B" Compartment Layout




Some models equipped with spring shackle offsets (see "Models" chart).

Rear View

Floor area 42" clear between wheel boxes.
NO WHEEL BOXES ON 98-DW OR 108D-DW MODELS.

132 bodies & spacemaster tops

Model 132AB-Dual Wheel



LP132AB-DW height : same as LP108

S132AB-DW and SLP132AB-DW height: same as S108 and SLP108

Optional crane reinforcement available at added cost upon request. Reading also manufactures "Cranemaster" bodies which are specifically engineered for crane use. See separate literature or Reading's website for specifications on Reading's Cranemaster 6000 & 8000 bodies.

Models

Model Number	Approx. Weight Steel	Chassis	Cab-to-axle
U132AB-DW	1832#	Dual rear wheels	84"
ULP132AB-DW	1747#	Dual rear wheels	84"
US132AB-DW	2097#	Dual rear wheels	84"
USLP132AB-DW	2002#	Dual rear wheels	84"

Approx. Compartment Clear Door Openings

Model No.	A	B	C	D	E	F	G
U132AB-DW	22 1/2"x35 1/4"	48 1/4"x14"	20 3/4"x35 1/4"	72 1/2"x14"	20 3/4"x18 1/8"	35"x35 1/4"	11 1/2"x35 1/4"
ULP132AB-DW	22 1/2"x30 3/4"	48 1/4"x9"	20 3/4"x30 3/4"	72 1/2"x9"	20 3/4"x18 1/8"	35"x30 3/4"	11 1/2"x30 3/4"
US132AB-DW	22 1/2"x35 1/4"	48 1/4"x14"	20 3/4"x35 1/4"	72 1/2"x14"	20 3/4"x18 1/8"	35"x35 1/4"	11 1/2"x35 1/4"
USLP132AB-DW	22 1/2"x30 3/4"	48 1/4"x9"	20 3/4"x30 3/4"	72 1/2"x9"	20 3/4"x18 1/8"	35"x30 3/4"	11 1/2"x30 3/4"

Standard shelf and divider equipment


All shelves and dividers removable and adjustable. (9) shelves & (20) dividers included.

Spacemaster Tops


Standard shelf and divider equipment

All models feature 1 shelf and 4 dividers in curbside front compartment only. Shelves are removable and dividers are adjustable and removable.

48 Series



57 Series



Dimensions and specifications for lower compartment areas correspond to Reading service bodies with equivalent model numbers (minus prefix SPM48 or SPM57) shown above.

To order aluminum, add prefix "AL" to model number. Aluminum bodies are not recommended for off road use.

Models & Dimensions

Model Number	Approx. Weight*		Chassis	Cab-to-axle
	Steel	Alum.		
SPM48-98SW**	559#	303#	Single rear wheels	56"
SPM57-98SW**	641#	348#	Single rear wheels	56"
SPM48-98DW	641#	353#	Dual rear wheels	56"
SPM57-98DW	722#	397#	Dual rear wheels	56"
SPM48-108SW**	583#	316#	Single rear wheels	60"
SPM57-108SW**	673#	366#	Single rear wheels	60"
SPM48-108DW	668#	367#	Dual rear wheels	60"
SPM57-108DW	758#	417#	Dual rear wheels	60"
SPM57-132DW	985#	—	Dual rear wheels	84"
SPM57-132HDDW	985#	—	Dual rear wheels	84"

Model Number	A	B	F	G	H	I	J
SPM48-98SW	98"	49"	62 1/2"	13 1/4"	48 1/2"	7 1/2"	75"
SPM57-98SW	98"	49"	62 1/2"	13 1/4"	48 1/2"	7 1/2"	75"
SPM48-98DW	98"	49"	74"	18 1/4"	50"	11"	86 1/2"
SPM57-98DW	98"	49"	74"	18 1/4"	50"	11"	86 1/2"
SPM48-108SW	108"	54"	62 1/2"	13 1/4"	48 1/2"	7 1/2"	75"
SPM57-108SW	108"	54"	62 1/2"	13 1/4"	48 1/2"	7 1/2"	75"
SPM48-108DW	108"	54"	74"	18 1/4"	50"	11"	86 1/2"
SPM57-108DW	108"	54"	74"	18 1/4"	50"	11"	86 1/2"
SPM57-132DW	132"	42"▲	80"	20"	52"	11"	92"
SPM57-132HDDW	132"	42"▲	80"	20"	52"	11"	92"

*Denotes Spacemaster top weight only. **Available factory installed only.

Approx. Compt. "K" Clear Door Openings


Shown in yellow

SPM48-98SW	SPM57-98SW	SPM48-108SW	SPM57-108SW	SPM57-132DW
SPM48-98DW	SPM57-98DW	SPM48-108DW	SPM57-108DW	SPM57-132HDDW
8 1/2"x42 3/4"	12 1/2"x42 3/4"	8 1/2"x48 3/4"	12 1/2"x48 3/4"	12 1/2"x39 1/4"▲


heavy duty bodies

Heavy duty bodies are designed for chassis 1½ ton and over with dual rear wheels.


HD108AB "A" Compartment Layout



"B" Compartment Layout




Rear View




Floor area 42" clear between wheel boxes.

HD120AB "A" Compartment Layout




"B" Compartment Layout




Rear view same as HD108AB

HD132AB

"A" Compartment Layout




"B" Compartment Layout




Rear view same as HD108AB

HD150AB

"A" Compartment Layout



"B" Compartment Layout



Rear view same as HD108AB

Standard shelf and divider equipment

All shelves and dividers removable and adjustable. **(6) shelves** HD108 model, **(6) shelves** HD120 model, **(9) shelves** HD132 model, **(14) shelves** HD150 model.

Dividers: A total of 20 provided.

Bumpers are optional equipment available at additional cost (see page 7).

Optional crane reinforcement available at added cost upon request. Reading also manufactures "Cranemaster" bodies which are specifically engineered for crane use. See separate literature or Reading's website for specifications on Reading's Cranemaster 6000 & 8000 bodies.

Models

Model No.	Approx. Weight	Chassis	Cab-to-axle
HD108AB	1414#	1½ ton & up dual rear wheels	60"
HD120AB	1761#	1½ ton & up dual rear wheels	72"
HD132AB	2182#	1½ ton & up dual rear wheels	84"
HD150AB	2536#	1½ ton & up dual rear wheels	102"

Approx. Compartment Clear Door Openings

Model No.	A	B	C	D	E	F	G
HD108AB	29 1/4" x 38 1/2"	45 1/2" x 14"	20 3/4" x 38 1/2"	69 3/4" x 14"	20 3/4" x 21 3/8"	—	—
HD120AB	36 1/2" x 38 1/2"	48 3/4" x 14"	20 3/4" x 38 1/2"	72 1/2" x 14"	20 3/4" x 21 3/8"	—	—
HD132AB	22 1/2" x 38 1/2"	48 3/4" x 14"	20 3/4" x 38 1/2"	72 1/2" x 14"	20 3/4" x 21 3/8"	35" x 38 1/2"	11 1/2" x 38 1/2"
HD150AB	20 1/2" x 38 1/2"	48 3/4" x 14"	20 3/4" x 38 1/2"	72 1/2" x 14"	20 3/4" x 21 3/8"	—	—


compact bodies

Model / Chassis Classification				Standard Shelf and Divider Equipment							
CHASSIS	MODEL NUMBER	APPROX. WEIGHT		CAB TO AXLE	SIDE	FRONT VERTICAL COMPARTMENTS		REAR VERTICAL COMPARTMENTS		HORIZONTAL COMPARTMENTS	
		STEEL	ALUM.			SHELF	DIVIDERS	SHELF	DIVIDERS	SHELF	DIVIDERS
Ranger (ext. cab)	C7436F	520#	286#	37.4"	Curb	N/A	N/A	1	2	1	6
	CS7436F	580#	319#		Road	N/A	N/A	1	2	1	6
Ranger (long)†	C8241F	615#	338#	42.9"	Curb	1	2	0	0	1	6
	CS8241F	710#	390#		Road	1	2	1	2	1	4
S-10 (long)†	C8846S	664#	365#	47.0"	Curb	1	2	0	0	1	6
	CS8846S	765#	421#		Road	1	2	1	2	1	4

Denotes Spacemaker model †Not available for 1999 & 2000 model year chassis

Note: CS models are equipped with 15 dividers in each Spacemaker compartment


Body Dimensions					Approx. Compartment Clear Door Openings				
MODEL	A	B	C	D	MODEL	E	F	G	H
C7436F	74"	18"	56"	N/A	C7436F	53" x 9"	12½" x 27½"	N/A	N/A
CS7436F	74"	18"	56"	N/A	CS7436F	53" x 9"	12½" x 27½"	N/A	N/A
C8241F	82"	18"	46"	18"	C8241F	60½" x 9"	12½" x 27½"	47½" x 9"	12½" x 13½"
CS8241F	82"	18"	46"	18"	CS8241F	60½" x 9"	12½" x 27½"	47½" x 9"	12½" x 13½"
C8846S	88"	24"	40"	24"	C8846S	60½" x 9"	18½" x 27½"	38½" x 9"	18½" x 13½"
CS8846S	88"	24"	40"	24"	CS8846S	60½" x 9"	18½" x 27½"	38½" x 9"	18½" x 13½"



panel & sliding tops

Dimensions and specifications for lower compartment areas correspond to Reading service bodies with equivalent model numbers (minus prefix PA/TPA-50, PA/TPA-60, or PA/TPA-72) shown below.

NOTE: Fenderettes on "HD" models only.



50 Series – 50" inside head clearance


Model Number	Approx. Wt.*		Dimensions			
	Steel	Alum.	A	B	C	Length
PA50-98SW**	425#	224#	63½"	7½"	48½"	98"
TPA50-98SW**	469#	276#	64"	6¾"	48½"	98"
PA50-98DW	528#	258#	76"	13"	50"	98"
TPA50-98DW	572#	278#	76½"	13"	50"	98"
PA50-108SW**	440#	233#	63½"	7½"	48½"	108"
TPA50-108SW**	484#	253#	64"	6¾"	48½"	108"
PA50-108DW	551#	267#	76"	13"	50"	108"
TPA50-108DW	595#	287#	76½"	13"	50"	108"
PA50-1086DW	561#	279#	75"	7½"	60"	108"
TPA50-1086DW	601#	297#	76½"	13"	60"	108"

*Denotes panel top weight only. **Available factory installed only.

72 Series – 72" inside head clearance

Model Number	Approx. Wt.*		Dimensions			
	Steel	Alum.	A	B	C	Length
PA72-108DW	734#	373#	76"	13"	50"	108"
TPA72-108DW	782#	395#	76½"	13"	50"	108"
PA72-1086DW	744#	385#	75"	7½"	60"	108"
TPA72-1086DW	784#	403#	76½"	13"	60"	108"
PA72-108HD	789#	—	78"	13"	52"	108"
TPA72-108HD	833#	—	78½"	12½"	52"	108"
PA72-120HD	888#	—	78"	13"	52"	120"
TPA72-120HD	938#	—	78½"	12½"	52"	120"
PA72-132	972#	—	78"	13"	52"	132"
TPA72-132	1026#	—	78½"	12½"	52"	132"
PA72-132HD	972#	—	78"	13"	52"	132"
TPA72-132HD	1026#	—	78½"	12½"	52"	132"
PA72-150HD	1082#	—	78"	13"	52"	150"
TPA72-150HD	1143#	—	78½"	12½"	52"	150"

*Denotes panel top weight only.




60 Series – 60" inside head clearance

Model Number	Approx. Wt.*		Dimensions			
	Steel	Alum.	A	B	C	Length
PA60-98SW**	480#	263#	63½"	7½"	48½"	98"
TPA60-98SW**	524#	283#	64"	6¾"	48½"	98"
PA60-98DW	615#	292#	76"	13"	50"	98"
TPA60-98DW	659#	312#	76½"	13"	50"	98"
PA60-108SW**	515#	283#	63½"	7½"	48½"	108"
TPA60-108SW**	559#	303#	64"	6¾"	48½"	108"
PA60-108DW	660#	311#	76"	13"	50"	108"
TPA60-108DW	704#	331#	76½"	13"	50"	108"
PA60-1086DW	670#	325#	75"	7½"	60"	108"
TPA60-1086DW	710#	343#	76½"	7¼"	60"	108"
PA60-108HD	646#	—	78"	13"	52"	108"
TPA60-108HD	690#	—	78½"	12½"	52"	108"
PA60-120HD	721#	—	78"	13"	52"	120"
TPA60-120HD	771#	—	78½"	12½"	52"	120"
PA60-132	820#	—	78"	13"	52"	132"
TPA60-132	874#	—	78½"	12½"	52"	132"
PA60-132HD	820#	—	78"	13"	52"	132"
TPA60-132HD	874#	—	78½"	12½"	52"	132"
PA60-150HD	929#	—	78"	13"	52"	150"
TPA60-150HD	990#	—	78½"	12½"	52"	150"

*Denotes panel top weight only. **Available factory installed only.

Sliding Tops



- Available in two and three section models (depending upon body length). Front section is stationary.
- Can be used with Spacemaker bodies
- Runs along full-length galvanized steel tracks
- Held in an open or closed position with a spring loaded latch, and locks with a 2-point positive action T-handle lock

Benefit: Provides cover and security to the cargo bed

To order aluminum, add prefix "AL" to model number.

Model Number	For Body Model	Approx. Wt.	
		Steel	Alum.
ST-78	78SW (2-section)	145#	80#
ST-98	98SW (2-section)	155#	86#
ST-98D	98DW (2-section)	160#	90#
ST-108	108SW (2-section)	170#	95#
ST-108D	108DW (2-section)	175#	100#
ST-1086D	1086DW (2-section)	225#	124#
ST-108HD	HD-108 (2-section)	225#	—
ST-120HD	HD-120 (3-section)	350#	—
ST-132HD	HD-132 (3-section)	370#	—
ST-150HD	HD-150 (3-section)	410#	—